Exhibit A

US009694240B2

(54) **PROGRAMMED EXERCISE BICYCLE WITH COMPUTER AIDED GUIDANCE**

(71) Applicant: **Mad Dogg Athletics, Inc.**, Venice, CA (US)

(72) Inventor: **John Baudhuin**, Venice, CA (US)

(73) Assignee: **Mad Dogg Athletics, Inc.**, Venice, CA (US)

(*) Notice: Subject to any disclaimer, the term of this patent is extended or adjusted under 35 U.S.C. 154(b) by 0 days.

(21) Appl. No.: **14/591,849**

(22) Filed: **Jan. 7, 2015**

(65) **Prior Publication Data**

US 2015/0182796 A1   Jul. 2, 2015

Related U.S. Application Data

(63) Continuation of application No. 13/960,795, filed on Aug. 6, 2013, now Pat. No. 8,944,968, which is a
(Continued)

(51) **Int. Cl.**
A63B 24/00   (2006.01)
A63B 71/06   (2006.01)
(Continued)

(52) **U.S. Cl.**
CPC *A63B 24/0062* (2013.01); *A63B 22/06* (2013.01); *A63B 22/0605* (2013.01); *A63B 24/00* (2013.01); *A63B 24/0075* (2013.01); *A63B 24/0087* (2013.01); *A63B 71/0622* (2013.01); *G06F 19/3481* (2013.01); *A63B 21/015* (2013.01); *A63B 21/225* (2013.01);
(Continued)

(58) **Field of Classification Search**
CPC . A63B 24/00; A63B 24/0062; A63B 24/0087;
A63B 24/0075; A63B 2220/34; A63B 2220/52; A63B 21/015; A63B 21/225; A63B 22/0605; A63B 22/06; A63B 2024/0093; A63B 2024/0068; A63B 2225/15; A63B 2225/20
USPC 482/1–9, 900–902; 434/247
See application file for complete search history.

(56) **References Cited**

U.S. PATENT DOCUMENTS

561,198 A   6/1896   Robinson
588,166 A   8/1897   McCoy
(Continued)

FOREIGN PATENT DOCUMENTS

DE   299 11 700 U1   9/1999
EP   0 214 748   3/1987
EP   1 297 865 A1   4/2003
TW   I220387   8/2004
TW   I290058   11/2007
(Continued)

OTHER PUBLICATIONS

EPO, Extended European Search Report, Application No. EP 13 19 3539, Mar. 31, 2014, 7 pages.
(Continued)

Primary Examiner — Glenn Richman
(74) *Attorney, Agent, or Firm* — Maceiko IP

(57)   **ABSTRACT**

The invention pertains to a stationary exercise bike along with a display that provides instruction to lead a rider through an exercise program. The invention allows a rider to obtain benefits of a group, instructor-led class though the rider's schedule does not permit the rider to participate in the class. The invention also describes a method of exercising with the foregoing bike and display.

17 Claims, 4 Drawing Sheets

US 9,694,240 B2

Page 2

Related U.S. Application Data

continuation of application No. 13/136,998, filed on Aug. 16, 2011, now Pat. No. 8,506,457, which is a continuation of application No. 11/050,460, filed on Feb. 2, 2005, now Pat. No. 8,021,277.

(51) **Int. Cl.**

G06F 19/00	(2011.01)
A63B 21/015	(2006.01)
A63B 21/22	(2006.01)
A63B 22/06	(2006.01)

(52) **U.S. Cl.**

CPC *A63B 2022/0658* (2013.01); *A63B 2024/0068* (2013.01); *A63B 2024/0093* (2013.01); *A63B 2071/0625* (2013.01); *A63B 2220/34* (2013.01); *A63B 2220/52* (2013.01); *A63B 2225/15* (2013.01); *A63B 2225/20* (2013.01); *A63B 2230/045* (2013.01); *A63B 2230/06* (2013.01); *A63B 2230/75* (2013.01); *Y10S 482/901* (2013.01)

(56) **References Cited**

U.S. PATENT DOCUMENTS

633,534	A	9/1899	Read
635,082	A	10/1899	Stiles
671,785	A	4/1901	Young et al.
1,336,774	A	4/1920	Cooper
1,507,554	A	9/1924	Cooper
1,636,327	A	7/1927	Roe
3,062,204	A	11/1962	Stefano
3,511,097	A	5/1970	Corwin
3,903,613	A	9/1975	Bisberg
D251,747	S	5/1979	Valentine et al.
4,188,030	A	2/1980	Hooper
4,298,893	A	11/1981	Holmes
4,408,613	A	10/1983	Relyea
4,512,566	A	4/1985	Bicocchi
4,512,567	A	4/1985	Phillips
D280,117	S	8/1985	Collins
D280,118	S	8/1985	Collins
4,556,216	A	12/1985	Pitkanen
4,577,860	A	3/1986	Matias
D284,596	S	7/1986	McNeil
4,632,386	A	12/1986	Beech
D289,782	S	5/1987	Szymski et al.
4,674,741	A	6/1987	Pasierb, Jr. et al.
D291,462	S	8/1987	Aalto
D292,304	S	10/1987	Ostrom
4,709,917	A	12/1987	Yang
4,711,447	A	12/1987	Mansfield
4,714,244	A	12/1987	Kolomayets et al.
4,720,789	A	1/1988	Hector et al.
4,768,777	A	9/1988	Yang
4,771,344	A	9/1988	Fallacaro et al.
4,772,069	A	9/1988	Szymski
4,824,102	A	4/1989	Lo
4,867,442	A	9/1989	Matthews
4,880,225	A	11/1989	Lucas et al.
4,902,001	A	2/1990	Balbo
4,915,374	A	4/1990	Watkins
4,919,418	A	4/1990	Miller
4,936,570	A	6/1990	Szymski et al.
5,000,469	A	3/1991	Smith
5,001,632	A	3/1991	Hall-Tipping
5,067,710	A	11/1991	Watterson et al.
5,145,477	A	9/1992	Han
5,149,084	A	9/1992	Dalebout et al.
5,207,621	A	5/1993	Koch et al.
5,232,422	A	8/1993	Bishop, Jr.
5,308,296	A	5/1994	Eckstein
5,335,188	A	8/1994	Brisson
5,336,147	A	8/1994	Sweeney, III
5,362,069	A	11/1994	Hall-Tipping
5,383,826	A	1/1995	Michael
5,407,402	A	4/1995	Brown et al.
5,423,728	A	6/1995	Goldberg
5,489,249	A	2/1996	Brewer et al.
5,512,025	A	4/1996	Dalebout et al.
5,527,239	A	6/1996	Abbondanza
5,584,700	A	12/1996	Feldman et al.
5,643,146	A	7/1997	Stark et al.
5,645,513	A	7/1997	Haydocy et al.
5,667,459	A	9/1997	Su
5,702,323	A	12/1997	Poulton
5,782,639	A	7/1998	Beal
5,785,631	A	7/1998	Heidecke
5,810,696	A	9/1998	Webb
5,830,107	A	11/1998	Brigliadoro
5,836,770	A	11/1998	Powers
5,888,172	A	3/1999	Andrus et al.
5,890,995	A	4/1999	Bobick et al.
5,916,063	A	6/1999	Alessandri
5,947,868	A	9/1999	Dugan
6,004,243	A	12/1999	Ewert
6,027,428	A	2/2000	Thomas et al.
6,059,692	A	5/2000	Hickman
6,152,856	A	11/2000	Studor et al.
6,193,631	B1	2/2001	Hickman
6,287,239	B1	9/2001	Hernandez
6,447,424	B1	9/2002	Ashby et al.
6,450,922	B1	9/2002	Henderson et al.
6,458,060	B1	10/2002	Watterson et al.
6,522,255	B1	2/2003	Hsieh
6,547,702	B1	4/2003	Heidecke
6,626,799	B2	9/2003	Watterson et al.
6,672,991	B2	1/2004	O'Malley
6,701,271	B2	3/2004	Willner et al.
6,749,537	B1	6/2004	Hickman
6,793,608	B2	9/2004	Goldberg
6,808,472	B1	10/2004	Hickman
6,881,176	B2	4/2005	Oishi et al.
6,921,351	B1	7/2005	Hickman et al.
6,932,745	B1	8/2005	Ellis
7,022,048	B1	4/2006	Fernandez et al.
7,044,891	B1	5/2006	Rivera
7,097,588	B2	8/2006	Watterson et al.
7,166,064	B2	1/2007	Watterson et al.
7,179,202	B2	2/2007	Marin et al.
7,357,756	B2	4/2008	Demas
7,435,202	B2	10/2008	Daly et al.
7,455,622	B2	11/2008	Watterson et al.
7,481,744	B2	1/2009	Reyes et al.
7,510,509	B2	3/2009	Hickman
7,549,947	B2	6/2009	Hickman et al.
7,575,536	B1	8/2009	Hickman
7,601,099	B2	10/2009	Kang
7,625,315	B2	12/2009	Hickman
7,637,847	B1	12/2009	Hickman
7,648,443	B2	1/2010	Schenk
7,670,263	B2	3/2010	Ellis et al.
7,693,584	B2	4/2010	Pryor et al.
7,713,171	B1	5/2010	Hickman
7,789,800	B1	9/2010	Watterson et al.
7,837,595	B2	11/2010	Rice
7,931,562	B2	4/2011	Ellis et al.
8,007,412	B2	8/2011	Lofgren et al.
8,021,277	B2	9/2011	Baudhuin
8,506,457	B2	8/2013	Baudhuin
2002/0173407	A1	11/2002	Bowman
2003/0171190	A1*	9/2003	Rice A63F 13/06 482/57
2004/0014566	A1	1/2004	Kao
2004/0127335	A1*	7/2004	Watterson A63B 21/005 482/8
2005/0075213	A1	4/2005	Arick
2006/0046905	A1	3/2006	Doody, Jr. et al.
2006/0116248	A1	6/2006	Lofgren et al.
2006/0205564	A1	9/2006	Peterson
2007/0118406	A1	5/2007	Killin et al.
2007/0170688	A1	7/2007	Watson
2007/0197345	A1	8/2007	Wallace et al.

US 9,694,240 B2

Page 3

(56)   **References Cited**

U.S. PATENT DOCUMENTS

2007/0219059 A1	9/2007	Schwartz et al.
2007/0281828 A1	12/2007	Rice
2008/0076637 A1	3/2008	Gilley et al.
2008/0141135 A1*	6/2008	Mason G11B 27/034
		715/719
2008/0161733 A1	7/2008	Einay et al.
2008/0194385 A1	8/2008	Heung
2009/0227429 A1	9/2009	Baudhuin
2009/0233769 A1	9/2009	Pryor
2009/0291805 A1	11/2009	Blum
2009/0312153 A1	12/2009	Ideno
2010/0075808 A1	3/2010	Luberski et al.
2010/0255955 A1	10/2010	Hickman
2014/0038778 A1	2/2014	Baudhuin

FOREIGN PATENT DOCUMENTS

WO	WO 96/36399 A1	11/1996
WO	WO 98/15112 A3	4/1998
WO	WO 99/00782 A1	1/1999
WO	WO 01/70340 A2	9/2001
WO	WO 2009/111002 A2	9/2009

OTHER PUBLICATIONS

EPO, Supplementary European Search Report, Jan. 13, 2011 [mailed Jan. 21, 2011], 7 pages.

Lee W. Young, Written Opinion of the International Searching Authority for PCT/US2009/01327, Apr. 27, 2009.
PCT, International Preliminary Report on Patentability, Aug. 7, 2007, International Application No. PCT/US2006/003702, 4 pages.
PCT, International Preliminary Report on Patentability, Mar. 18, 2010, International Application No. PCT/US2009/01327, 6 pages.
PCT, International Preliminary Report on Patentability (Corrected), Mar. 18, 2010, International Application No. PCT/US2009/01327, 6 p.
PCT, International Search Report dated Jul. 14, 1995, International Application No. PCT/US95/03878.
PCT, International Search Report, May 12, 2006, International Application No. PCT/US2006/003702, 1 page.
PCT, Written Opinion of the International Searching Authority, May 12, 2006, International Application No. PCT/US2006/003702, 3 pages.
Sheldon Brown's Bicycle Glossary; www.sheldonbrown.com/glossary.html.
Spinning Phase I Learning With Johnny G, VHS Video Tape, 1996, PPI Entertainment Group, a division of Peter Pan Industries, Inc., 88 Francis St., Newark, NJ 07105.
Spinning Phase II Riding With Johnny G, VHS Video Tape, 1996, PPI Entertainment Group, a division of Peter Pan Industries, Inc., 88 Francis St., Newark, NJ 07105.

* cited by examiner

FIG.   1

FIG. 2A

FIG. 2B

FIG. 3

US 9,694,240 B2

1

PROGRAMMED EXERCISE BICYCLE WITH COMPUTER AIDED GUIDANCE

CROSS REFERENCE TO RELATED APPLICATION

This application is a continuation of U.S. patent application Ser. No. 13/960,795, filed Aug. 6, 2013, which is a continuation of U.S. patent application Ser. No. 13/136,998, filed Aug. 16, 2011, now U.S. Pat. No. 8,506,457, which is a continuation of U.S. patent application Ser. No. 11/050, 460, filed Feb. 2, 2005, now U.S. Pat. No. 8,021,277. The foregoing applications are incorporated by reference as if fully set forth herein.

FIELD OF THE INVENTION

The invention generally relates to exercise devices and programs. More specifically, the invention relates to providing instructions to an exercise participant to lead the participant through an exercise program. The invention also relates to the use of a stationary exercise bike on which the participant may exercise.

An embodiment of the invention relates to the use of an indoor exercise bike along with instructions similar to those provided by an instructor during an indoor exercise bike program. In this embodiment, the participant is instructed to assume different hand and riding positions throughout the program.

BACKGROUND OF THE INVENTION

In recent years, instructor-led exercise classes using stationary exercise bikes have become increasingly popular. Since the advent of the indoor cycling exercise program, various indoor cycling classes have come into existence. In such classes, the instructor typically leads a class of participants by instructing them to assume different riding positions, such as sitting and standing in combination with different hand positions on the handlebars. The instructor also may instruct participants to vary their pedaling cadence to simulate sprinting or other riding conditions. The bikes used in these classes typically have a resistance device to vary how difficult it is to pedal, and the instructor may also instruct participants to vary the resistance to simulate different riding conditions such as hill climbing.

Many participants seek out instructor-led classes for the encouragement and expertise that an instructor may provide during the exercise program, or the camaraderie between participants. However, instructor-led classes generally adhere to a predetermined time schedule. This presents a problem to participants that cannot attend predetermined classes because of their jobs or other scheduling conflicts.

Health clubs typically have different types of stationary exercise bikes available on their floors for individuals to ride. However, these bikes typically do not have the open geometry, adjustability or other characteristics that allow an individual to experience an exercise program such as provided by indoor cycling programs. In other words, the bikes themselves are inadequate.

Certain health clubs may have indoor cycling bikes available on their floor to ride by individuals who are not participating in an instructor-led class. But without an instructor, the individual may not receive the proper instruction or guidance essential to simulating the different riding positions and/or resistances and/or pedal cadences that an instructor typically provides during a class. Indeed, instruc-

2

tors such as certified SPINNING® instructors receive significant and ongoing training in order to lead classes. Accordingly, the individual that simply pedals a stationary exercise bike on a health club floor will generally not achieve the benefits of an instructor-led class. Furthermore, the lack of an instructor may increase the danger of injury if the individual is not riding the bike correctly. This may be especially so where the bike is in a direct drive or fixed gear configuration.

Accordingly, a need exists for a stationary exercise bike for use by an individual who is not participating in an instructor-led class, wherein the bike itself allows different riding positions and conditions, and also provides instruction to the individual so that the individual may receive benefits typically received during an instructor-led class. There also exists a need for the stationary bike to take the rider's ability, past exercise history and/or heart rate into account.

Previously, videos of an instructor providing instruction for an indoor cycling bike class have been available for an individual to watch as he or she rides an indoor cycling bike. However, such videos require a separate VCR and monitor to play the video. Besides requiring additional equipment, the space required may also not be available. For example, space on a health club floor is generally considered to be at a premium.

U.S. Pat. No. 6,287,239 to Hernandez purports to disclose the use of an indoor cycling bike and a display screen with a cartridge that plays music and provides directions to the rider. However, the disclosure of the '239 patent is very limited and the bike pictured in the patent would not enable a participant to simulate different riding positions and conditions, or experience an indoor exercise bike program. The '239 patent also does not disclose how the rider's ability, past exercise history and/or heart rate may be taken into account when providing instructions to the participant.

The present invention solves the above-identified needs.

SUMMARY OF THE INVENTION

In a first aspect of the invention, a stationary exercise bike for Indoor cycling is used along with a display that provides instruction to lead a rider through an exercise ride.

In another aspect of the invention, a stationary exercise bike that takes into account the rider's ability, cadence, distance, time, past exercise history and/or heart rate is described.

In another aspect of the invention, a method of exercising with the foregoing bike and display is described.

BRIEF DESCRIPTION OF THE DRAWINGS

FIG. **1** shows a stationary exercise bike with a display screen.

FIG. **2A** shows a front view of a display featuring the display screen.

FIG. **2B** shows an alternate front view of a display.

FIG. **3** shows a side view of a display.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

Generally, the invention serves to provide instructions to a rider that leads the rider through an exercise program. It is preferred that the instruction be similar to that provided in instructor-led classes so that the rider obtains the benefits of

US 9,694,240 B2

3

such classes despite the fact that the rider's schedule conflicts with prescheduled instructor-led classes.

FIG. **1** shows a stationary exercise bike **10** along with a display screen **100**. The display screen includes a computer or other device to store and/or provide instructions. The bike **10** shown is an indoor cycling bike that is adjustable and has an open geometry that allows a rider to simulate different riding positions and conditions. Bike **10** preferably includes adjustable seat assembly **12**, adjustable handlebar **14** having multiple hand position, variable resistance mechanism **16**, pedal assembly **18** and flywheel **20** which is coupled to pedal assembly **18** in a direct drive (fixed gear) and/or non direct drive e.g., freewheeling configuration. U.S. Pat. Nos. 6,468, 185 and 6,793,608 are hereby incorporated by reference herein. A clutching mechanism may also be included which may be preferred where bike **10** is in a fixed gear configuration. U.S. Pat. No. 5,961,424 is hereby incorporated by reference herein.

Various pop-pins (or other suitable mechanism) **22** may be used to effect up/down and fore/aft adjustment of seat **12**, and up/down adjustment of handlebar **14**. It is preferred that the seat and handlebar be adjusted to safely accommodate different riding positions such as sitting and standing, as well as different hand positions. Handlebar **14** may include one or more sensors **24** to measure the rider's pulse and heart rate. This information may be sent to the computer (discussed below). The computer may also receive heart rate signals from a monitor/transmitter worn by the rider.

Display **100** may be attached to bike **10** by a bracket **102**. Display **100** includes screen **106** on which various information is input and/or displayed. Brackets different than that shown may be used, and bracket **102** may attach to bike **10** at different locations. It is preferred that display **100** not interfere with the rider's ability to grasp handlebar **3** at different locations so that the rider may assume different riding positions. For example, when the rider is standing and his or her hands are near the forward end **5** of handlebar **3**, it is preferred that display **100** not interfere with this position. It is also preferred that display **100** be located so that the rider does not excessively sweat on it. The display **100** preferably comprises an outer shell of plastic or other material that is resistant to sweat.

Display **100** may also be fitted with a hood **104** that may extend around the top of display **100** to provide better contrast between the ambient light and the information illuminated on display **100**. Hood **104** may also extend around the sides and bottom of display. Hood **104** may also help prevent excessive sweat from dripping on display **100**. Screen **106** may comprise a computer screen, LED or other type of visual display. Screen **106** may receive and/or display numerical, textual, or graphical information.

Display **100** is now further discussed with reference to FIGS. **2A**, **2B**, and **3**. It should be noted that the exact visual components displayed on screen **106** of the display **100** may vary from that shown in FIG. **2A** or **2B** or be a combination thereof. A computer or other storage device (not shown) is preferably contained within display **100**. However, the computer or other storage device may be remotely located. The computer preferably stores riding instructions that are conveyed to the rider through display **100**. The computer may also receive instructions and/or data from the rider through an input device **150** contained within the display **100** so that the instructions provided during the ride may be customized per the rider's specifications.

The input device **150** may be accessed through a menu button **152** and viewed through the menu screen **154**. Each time the menu button **152** is pressed, one of a plurality of

4

parameters is accessed. Once a particular parameter is accessed, a pair of directional arrows **162** may be used to scroll through the various possibilities. The left arrow **156** generally changes the value lower while the right arrow **158** generally changes the value higher. The rider may then select a particular value or parameter by pushing the select button **160**.

The following is a list of the various parameters which may be accessed and set through input device **150**, but is not intended to be exhaustive.

Time duration for the workout. Generally, a default time for the workout may be set. However, the rider may choose to shorten or lengthen the workout time as they desire. Once the workout starts, the overall time and/or time remaining may be displayed on the time display **140** that is located in the display screen **106**.

The calories to be burned during the workout. The number of calories the rider wishes to burn may be selected by the rider. As the workout begins, the number of calories burned may be displayed on the calorie display **142** that is located in the display screen **106**.

Level of intensity. Rather than selecting the number of calories burned, the rider may choose to simply select an intensity level and allow the computer to generate an appropriate workout routine. The higher the level of intensity chosen, the computer may generate a workout with greater resistance, a higher level of cadence, and/or instruct the rider to assume riding positions that are generally considered more difficult.

Type of ride, e.g., hill, flat, random or other types of preprogrammed workout. Depending on the type of workout, the display **100** may provide different types of instructions. For example, a hill ride might involve more sitting than standing.

Weight of the rider. The rider may enter this information to determine the effect on calories burned or other parameters.

Maximum heart rate. A maximum heart rate may be calculated using age-predicted charts, e.g., by subtracting the rider's age from 220 for male riders and subtracting from 226 for female riders. A more accurate rate may be determined by undergoing a maximum heart rate test. The maximum heart rate preferably enables the computer to control the workout by decreasing or increasing the level of intensity to achieve a desired heart rate level.

Identification Number. The rider may be assigned to an identification number, thereby allowing the computer to access and store certain information about a particular rider. Once assigned to a particular identification number, the rider may log in with the identification number to identify themselves and store various workouts in the computer. The computer may store the workout parameters and rider's fitness progress based on the duration of the workout, power exerted during prior workouts, calories burned or other parameters.

In this manner, the computer may automatically devise a set of instructions that push the rider to achieve a new fitness level by generating progressively more difficult workout routines. The computer may also have safeguards to prevent the rider from being advanced to quickly. For example, the computer may generate more difficult workouts only after a particular rider has had at least some number of workouts during a certain time period. The rider may also save workout routines under their identification number for easy access in the future.

As an alternative to the computer discussed above, display **100** may include a device to receive a CD-ROM, DVD,

US 9,694,240 B2

5

VHS tape or other storage medium that contains or receives riding instructions. As shown in FIG. 3, display 100 may include opening 107 to receive such a storage media.

Alternatively, display 100 may include a device enabling connection of the computer with the internet or some other computer network. In this embodiment, the computer may send and receive data over the internet.

The inputting of information is now more specifically described. By way of example, the first time a rider presses the menu button 152, the menu screen 154 may flash "ID" or some other appropriate message to indicate the rider should input their identification number. The directional arrows 162 may be used to scroll through the various possibilities from "None" to a numerical value ranging from 1 to however many unique users may be supported by the computer's memory. It is noted that today's storage media have large memory capacities providing for the storage of information for many riders. Alternatively, the rider may punch in his or her ID number. The computer may also request a password be entered. It is also contemplated that other forms of identification may be used such as a Smart Card, memory key, or other similar device.

If "none" is selected using the select button 160, the menu screen may ask the rider if they would like to be assigned to an identification number. The rider may select the next available number and provide password information. The rider can then move through and select a value for each of the parameters discussed above in a similar fashion.

At the end of each workout routine, if the workout was assigned to an identification number, the menu screen 154 may ask the rider if they wish to record the workout as part of their history file. Then, if the workout routine was a new routine that was not previously saved, the menu screen 154 will ask the user if they wish to save the workout routine. If the answer is yes, then the rider may name the workout routine.

Once again, the directional arrows 162 and the select button 160 may be used to scroll through and select letters and numbers to name the workout routine. In this manner ride profiles may be stored in the computer so that they may be recalled at a later time. For example, when the rider comes to the rider identification screen, a separate instructions display 132 that is located in the display screen 106 may list the ride profiles previously stored by the rider and ask the rider to choose one.

The computer may store and generate any number of work out routines including preprogrammed ones, routines saved by the user, and new routines based upon the rider's specific parameters.

Screen 106 preferably includes icons and screens that instruct the rider through the workout with different hand positions, riding positions, and varying pedaling speeds. Hand positions are shown to the rider with a handlebar icon 110 which may include first, second and third hand positions (110(1), 110(2) and 110(3)) that light up at different times signifying that the rider should change his or her hand positions. Hand positions 110(1), 110(2) and 110(3) preferably illuminate at appropriate times.

The rider's appropriate position may be shown to the rider through a pair of arrow icons 170 comprised of an up arrow icon 172 and a down arrow icon 174. When the workout requires the rider to be in the standing position, the up arrow icon 172 may be illuminated. When the workout requires the rider to be in the sitting position, the down arrow icon 174 may be illuminated. Both the up arrow icon 172 and the down arrow icon 174 may be illuminated when the rider is to alternate between standing and sitting.

6

Screen 106 may also include a target cadence display 180 that provides the rider with a certain range of desired cadence. The cadence range displayed may change as the riding position change. For example, a higher cadence range may be specified when the rider is seated and a lower cadence range may be specified when the rider is standing and climbing.

The computer in display 100 may be coupled to the pedal assembly 18 so that the computer may measure the rider's actual cadence. If the rider's cadence is within the desired range being displayed on a target cadence display 180 located in the display screen 106, a cadence screen 126 that is also located on the display screen 106 may illuminate in a certain way, e.g., non-flashing. If the rider's cadence is not within the desired range shown on the target cadence display 180, the rider's cadence screen showing the rider's actual cadence may illuminate in a flashing manner which preferably attracts the rider's attention so that the rider may adjust his or her cadence to bring it within the desired range.

Alternatively, screen 106 preferably includes a series of icons that instruct the rider through the ride with different combination of hand positions, riding positions, e.g., sitting or standing, and different riding conditions, e.g., flats, hills, climbing, sprinting, etc. The icons may be associated with a particular type of indoor cycling, or may be self-explanatory.

For example as shown in FIG. 2, the icons may comprise a graphic that illustrates a rider on a bike. Riding position icons may include seated flat 112, seated climbing 114, standing flat 116, and standing climbing 118. Each of these riding positions icons may light up at different times throughout the ride to signify that the rider should change positions. In this manner, the rider need not memorize riding position symbols that may be associated with a particular type of indoor cycling. As another alternative, or in addition to the foregoing, word text, such as "sit" or "stand", may illuminate on screen 106 to help instruct the rider's position.

Screen 106 may also include a resistance display 128 that provides the rider with an instructed resistance level. The resistance displayed may vary when different riding position icons are illuminated. For example, the resistance may be increased when the standing climbing icon 118 is illuminated. (Generally, in this situation, hand position 3 (110(3)) will be illuminated.) The rider may adjust the resistance device according to the resistance displayed. When the resistance value on display 128 changes, it may flash to attract the rider's attention so that the rider may change the resistance at the appropriate time. Alternatively, the resistance may be computer controlled and change automatically.

The cadence may be increased while the resistance remains constant to effect cadence building. The resistance may be increased while the cadence remains constant to effect resistance loading. The foregoing may be achieved by varying the numbers displayed on the target cadence display 180 and/or the resistance display 128.

Screen 106 also preferably includes a heart rate display 130 which displays the rider's heart rate as picked up by the sensors 24 on the handlebar 14 or monitor/transmitter worn by the rider. The location of sensors 24 in handlebar 14 preferably correspond to hand positions 1, 2 and 3 on handlebar icon 110. The heart rate may affect the instructions provided to the rider. For instance, if too high of a heart rate is recorded for too long, the rider may be instructed to slow the pedaling cadence through the target cadence display 180 and/or to assume a different riding position that requires less exertion.

US 9,694,240 B2

7

8

Additionally, the sensors **24** may be coupled with lights that turn on to signal to the rider the appropriate position for the rider's hand.

In addition the display **100** may also include a speaker **190**. The speaker may be connected to a computer, a stereo, a video monitor, or other type of multi media device. The speaker **190** may be used to enable riders to hear audible beeps indicating a change is position is needed. The speaker **190** may also enable the rider to listen to instructions or information as well as various entertainment media such as music.

Bike **10** of the current invention provides many benefits over other stationary bikes that may include some amount of computer guidance. Many such stationary bikes simply do not offer the type of workout that the current bike offers. For example, the LIFECYCLE type bike does not have the geometry to permit alternating standing and sitting in a smooth manner. In contrast, bike **10** of the current invention is intended for alternating standing and sitting and thus allows different riding positions. This in turn burns more calories and provides for a total body workout by using different muscle groups. For example, the standing position allows core abdominal muscles to be used. This is not achieved by the LIFECYCLE type bike.

The LIFECYCLE type bike does not provide instructions regarding various riding and handlebar positions that allow for a workout that involves a bike ride that simulates an outdoor ride with flats, hills and other conditions. Bike **10** of the current invention provides this type of instructions. The LIFECYCLE type bike also does not offer the variety of personalized rides that bike **10** of the current invention offers.

The current invention also provides an advance over indoor cycling bikes that may be located on the health club floor for random use without an instructor. These other type of indoor cycling bikes may pose a safety threat, especially when in a fixed gear configuration. Bike **10** of the current invention may provide instructions regarding a cadence limit, or other variables to reduce or avoid this risk. The instructions may also take the rider's health into account. Accordingly, bike **10** overcomes some of the risks associated with random, non-instructed use of indoor cycling bikes that are typically used in a group class led by an instructor.

Although certain presently preferred embodiments of the invention have been described herein, it will be apparent to those skilled in the art to which the invention pertains that variations and modifications of the described embodiments may be made without departing from the spirit and scope of the invention.

What is claimed is:

1. An exercise bike, comprising:

a frame that is configured to allow a rider to ride in sitting and standing positions;

a direct drive mechanism that couples a pedal assembly and a flywheel and that facilitates a smooth transition between sitting and standing positions;

a set of handlebars that is coupled to the frame and that provides the rider with at least one hand position;

a mechanism that provides resistance to the flywheel and that is manually adjustable by the rider to vary the pedaling resistance;

a computer that is coupled to the stationary bike, that is configured to connect with the internet or other computer network to access a collection of exercise routines, wherein the exercise routines include instructions regarding cadence, pedaling resistance, and riding positions including sitting and standing positions, and that stores power exerted by the rider;

a display that is coupled to the computer, that displays an exercise routine from the collection of exercise routines so that the rider is provided with instructions for the rider to manually adjust pedaling resistance, and instructions for the rider to vary cadence and riding positions including sitting and standing positions, thereby simulating an instructor-led exercise class, and that displays power exerted by the rider; and

an input device that is coupled to the computer and that enables the rider to input data into the computer.

2. The exercise bike of claim **1**, wherein the input device comprises:

a menu button;

a menu screen that is accessible by the menu button and that includes a selection regarding power exerted;

a pair of directional arrows to scroll through the data on the menu screen; and

a select button to choose a selection from the menu screen.

3. The exercise bike of claim **1**, wherein the collection of exercise routines includes pre-programmed exercise routines.

4. The exercise bike device of claim **1**, wherein the rider may log in to the computer with an identifier to identify himself or herself.

5. The exercise device of claim **4**, wherein the exercise routines previously accessed by the rider are stored so as to be associated with the rider's identifier.

6. The exercise bike of claim **1**, wherein the collection of exercise routines includes exercise routines saved by the rider.

7. The exercise device of claim **1**, wherein the display includes a target cadence display, the target cadence display revealing the appropriate cadence at which the rider should be pedaling.

8. The exercise device of claim **1**, wherein the display indicates the rider's actual cadence.

9. The exercise device of claim **1**, wherein the exercise bike is configured to receive heart rate information from heart rate sensors incorporated into the exercise bike or from a heart rate monitor worn by the rider and the display provides the rider's actual heart rate.

10. The exercise bike of claim **1**, wherein the input device allows the rider to input information about himself or herself.

11. The exercise bike of claim **1**, wherein the input device enables the rider to input data into the computer, including a desired power level to achieve during the exercise routine.

12. The exercise bike of claim **1**, wherein the computer stores power exerted by the rider during prior workouts.

13. The exercise bike of claim **12**, wherein the computer provides a history of the rider's power exerted during prior workouts.

14. An exercise bike, comprising:

a frame that is configured to allow a rider to ride in sitting and standing positions;

a direct drive mechanism that couples a pedal assembly and a flywheel and that facilitates a smooth transition between sitting and standing positions;

a set of handlebars that is coupled to the frame and that provides the rider with at least one hand position;

a mechanism that provides resistance to the flywheel and that is manually adjustable by the rider to vary the pedaling resistance;

a mechanism that measures the rider's cadence;

a computer that is coupled to the stationary bike, that is configured to connect with the internet or other com-

US 9,694,240 B2

9

puter network to access a collection of exercise routines, wherein the exercise routines include instructions regarding cadence, pedaling resistance, and riding positions including sitting and standing positions,

wherein the computer is configured to measure the pedaling resistance and the rider's cadence and is configured to calculate power exerted by the rider based on the pedaling resistance and the rider's cadence; and

a display that is coupled to the computer, that displays an exercise routine selected by the rider from the collection of exercise routines so that the rider is provided with instructions for the rider to manually adjust pedaling resistance and to vary cadence, and that displays power exerted by the rider.

15. The exercise bike of claim **14**, wherein the computer is remotely located form the bike.

16. The exercise bike of claim **14**, further comprising a heart rate monitor that measures the rider's heart rate.

17. The exercise bike of claim **14**, wherein the computer is configured to instruct the rider to vary the pedaling resistance and cadence to achieve a desired power exerted level.

*   *   *   *   *